



# DEPTACID ARS

Code: 012Z0

## Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

Skin corrosion - Category 1A

H314: Causes severe skin burns and eye damage.

Substance corrosive to metals - Category 1

H290: May be corrosive to metals.

EUH 071: Corrosive to the respiratory tract.

Acute toxicity - Category 4 (inhalation)

H332: Harmful if inhaled.

#### 2.2. Label elements

Labelling according to 1272/2008/EC Regulation:

Hazard pictograms(s) :



Signal word :

Danger

Contains : Nitric acid+ Phosphoric Acid

Hazard statement(s) :

H290: May be corrosive to metals.H314: Causes severe skin burns and eye damage.H332: Harmful if inhaled.EUH 071: Corrosive to the respiratory tract.

Precautionary statement(s) :

P260: Do not breathe vapours/spray. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician. P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

# DEPTACID ARS

Code: 012Z0

## Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version **6.1.0**

Revision: **30/05/17**

Print Date : 05/08/19

### 2.3. Other hazards

No additional information available.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable as this involves a mixture.

### 3.2. Mixtures

Chemical nature of the mixture : AUTO-FOAMING LIQUID ACID

Substance(s)	CAS number(s)	EINECS number(s)	No registration REACH	Classification according to Regulation 1272/2008/EC	Type
20% <= Nitric acid < 26%	7697-37-2	231-714-2	01-2119487297-23	Ox. Liq. 3 H272 Skin Corr. 1A H314 Met. Corr. 1 H290 Acute Tox. 3 (inhalation) H331	(1)
10% <= Phosphoric Acid < 25%	7664-38-2	231-633-2	01-2119485924-21 01-2119485924-24	Skin Corr. 1B H314 Met. Corr. 1 H290 Acute Tox. 4 (oral) H302	(1)
1% <= Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides < 5%	308062-28-4	931-292-6	01-2119490061-47	Acute Tox. 4 (oral) H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 M Factor (Acute) 1	(1)

#### Type

(1) : Substance classified as hazardous for health and/or the environment

(2) : Substance with an exposure limit at the work station.

Substance of very high concern candidate for the authorisation procedure:

(3) : Substance considered as PBT (persistent, bioaccumulable, toxic)

(4) : Substance considered as vPvB (very persistent, very bioaccumulable)

(5) : Substance considered as carcinogenic category 1A

(6) : Substance considered as carcinogenic category 1B

(7) : Substance considered as mutagenic category 1A

(8) : Substance considered as mutagenic category 1B

(9) : Substance considered as reprotoxic category 1A

(10) : Substance considered as reprotoxic category 1B

(11) : Substance considered as endocrine disrupter

## DEPTACID ARS

Code: 012Z0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

---

Full text of H- and EUH- phrases : see section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

General indications:

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again.  
In case of faintness , get medical advice/attention. Show this safety data sheet to the doctor.

In the event of inhalation :

Bring to fresh air.  
Put into practice respiratory help procedure if needed and get medical advice immediately.

In the event of contact with the skin :

Take off immediately all contaminated clothing.  
Wash immediately with plenty of water for 15 minutes at least.  
Immediately call a POISON CENTER or doctor/physician.

In the event of contact with the eyes :

Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open.  
Remove contact lenses if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.

In the event of ingestion :

Rinse mouth.  
Do NOT induce vomiting.  
Send to hospital.

##### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.  
Can cause severe damage to the stomach or oesophagus.

Inhalation : Corrosive to the respiratory tract.  
Harmful if inhaled.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treatments : Symptomatic treatment

## DEPTACID ARS

Code: 012Z0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version **6.1.0**

Revision: **30/05/17**

Print Date : 05/08/19

---

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

Suitable extinguishing media :

Waterspray.

Carbone dioxide (CO2).

Unsuitable extinguishing media :

Alkaline powders.

Chemical foams.

##### 5.2. Special hazards arising from the substance or mixture

DEPTACID ARS is non-flammable.

However in case of fire, risk of formation of toxic fumes (nitrogen oxides).

However, in contact with certain metals (aluminium, zinc, copper...), release of hydrogen whose mixtures with air are explosive.

##### 5.3. Advice for firefighters

Wear independent respiratory equipment and protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains.

Keep containers cool by spraying with water if exposed to fire.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### 6.1.1. For non-emergency personnel :

Evacuate non-essential staff and those not equipped with individual protection apparatus.

###### 6.1.2. For emergency responders :

Evacuate the personnel to a safe location.

Keep people upwind and away from the location of the flow/leak.

Use personal protection equipment.

##### 6.2. Environmental precautions

Intervention limited to trained staff.

Do not discharge the product directly to sewer or to environment.

Take as soon as possible all incompatible materials away.

##### 6.3. Methods and material for containment and cleaning up

Small spillage :

## DEPTACID ARS

Code: 012Z0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

---

Wash with plenty of water.

Large spillage :

Never return spills in original containers for re-use.

Keep in suitable, properly labelled and closed containers for disposal.

Mark out, soak up with an inert absorbant and pump in an emergency tank.

#### 6.4. Reference to other sections

Respect protective measures presented at heading 8.

Refer to section 13 for the elimination.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Do not breathe vapour.

Avoid contact with skin, eyes and clothing.

Do not breathe spray.

Do not eat, drink or smoke in work area. Avoid projections during use.

Take off immediately all contaminated clothing.

Keep away from incompatible matters (see heading 10).

#### 7.2. Conditions for safe storage, including any incompatibilities

##### 7.2.1. Storage :

Keep only in the original container.

Keep in a clean, cool and well-ventilated place away from sources of heat and intense light.

Keep container closed.

Keep away from products sensitive to acids.

##### 7.2.2. Packaging or wrapping materials :

High density polyethylene recommended.

#### 7.3. Specific end use(s)

No other recommendation.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Exposure limit values :

# DEPTACID ARS

Code: 012Z0

## Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version **6.1.0**

Revision: **30/05/17**

Print Date : 05/08/19

Substance	Country	Type	Value	Unit	Comments	source
Phosphoric Acid	EU	OEL 8h	1	mg/m <sup>3</sup>	Indicative Occupational Exposure Limit Value	International limit values for chemical agents
		OEL Short term	2	mg/m <sup>3</sup>	Indicative Occupational Exposure Limit Value	International limit values for chemical agents
Urea	FRA		10	mg/m <sup>3</sup>	Poussière totale	MSDS supplier
			5	mg/m <sup>3</sup>	Poussière respirable	MSDS supplier
		EMV (Exposure medium value) :	15	mg/m <sup>3</sup>	Poussière respirable	MSDS supplier
		EMV (Exposure medium value) : 8h	5	mg/m <sup>3</sup>	(poussières alvéolaires)	MSDS supplier
			10	mg/m <sup>3</sup>	(poussières totales)	MSDS supplier
		EMV (Exposure medium value) :	10	mg/m <sup>3</sup>	(poussières totales)	
	5	mg/m <sup>3</sup>	(poussières alvéolaires)			
Nitric acid	EU	OEL Short term	1	ppm	Indicative Occupational Exposure Limit Values	International limit values for chemical agents
			2,6	mg/m <sup>3</sup>	Indicative Occupational Exposure Limit Values	International limit values for chemical agents

### 8.2. Exposure controls

According to the requirements of Directive 98/24 /EC, the employer is required to conduct a risk assessment and implement appropriate risks management measures.

\* For any situation where the absence of risk is not proven, he must consider the substitution or reduction of risk by improving in priority processes used and collective protection measures. The effectiveness of the solutions implemented will be checked by measurement in comparison to the statutory limit values for substances defined in Section 8.1.

\* If the risk remains after these corrective actions, he must always check by routinely measuring compliance with regulatory OEL if they exist in section 8.1 and apply all the individual protective measures given in section 8.2.

\* When formalized risk assessment indicates a low risk to workers' health, control of compliance with regulatory OEL may not be considered and all individual protection measures is not always mandatory.

#### 8.2.1. Appropriate engineering controls :

Ensure adequate ventilation.

Apply the necessary technical measures to comply with the professional exposure limit values.

## DEPTACID ARS

Code: 012Z0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

---

#### 8.2.2. Individual protection measures, such as personal protective equipment :

##### Eye/face protection :

Use safety glasses or facial screen in conformity with the EN 166 standard.



##### Hand protection :

Use chemical resistant gloves approved to EN 374.

Examples of preferred materials for insulating gloves:

Butyl rubber.

Nitril.

Do not wear polyvinyl alcohol (PVA) gloves.



##### Skin protection :

Wear boots and a protective cloth with chemical resistance.



##### Respiratory protection :

At the time of handling leading to vapor formation, wear a half-mask in compliance with the European standard EN 140 or a complete mask with a filter in conformity with the European standard EN 136 (in conformity with the European standard EN 141 or EN 14387) of type:

E: gas and acid vapours.

NOx: nitrous vapours.

B: Inorganic gases and vapors.

During applications that cause aerosols to form, wear a half-mask in compliance with the European standard EN 140 or a complete mask in conformity with the European standard EN 136 equipped with a filter (in conformity with the European standard EN 143) of the following type:

P3: Particles, solid aerosols and liquids

It is possible to combine the anti-vapor filters and anti-aerosols.



##### Thermal hazards :

Not applicable

# DEPTACID ARS

Code: 012Z0

## Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version **6.1.0**

Revision: **30/05/17**

Print Date : 05/08/19

### Health measures :

Safety shower and eye wash fountain near to workplace.

After using, wash systematically all personal protective equipment.

Handle in accordance with good industrial hygiene practices and the safety instructions.

### 8.2.3. Environmental exposure controls :

Do not discharge the product directly to sewer or to environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Opalescent liquid
Colour	lightly yellowish
Odour	Pungent
Odour threshold	Not available
Pure pH	Not available
pH value at 10g/l	1.6±0.2
Freezing point :	-20 °C
Boiling point	> 100 °C
Evaporation rate:	Not available
Flammability	Not applicable
Vapour pressure	Not available
Vapour density	Not available
Mass density	1.235±0.01 g/cm <sup>3</sup>
Relative density	1.235±0.01
Solubility in water	Soluble in water in all proportions
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not applicable
Oxidising properties	Not applicable

### 9.2. Other information

No additional information.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions of use.

### 10.2. Chemical stability

Stable in the recommended storage and handling conditions.

### 10.3. Possibility of hazardous reactions

## DEPTACID ARS

Code: 012Z0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version **6.1.0**

Revision: **30/05/17**

Print Date : 05/08/19

Exothermic reactions with alkalis.  
Exothermic reactions with reducing agents.

#### 10.4. Conditions to avoid

Light, heat.

#### 10.5. Incompatible materials

Alkalines.  
Chlorinated alkalis.  
Certain metals.  
Reducing agents.

#### 10.6. Hazardous decomposition products

In contact with certain metals (aluminium, zinc, copper...), release of hydrogen whose mixtures with air are explosive.  
In case of fire, risk of formation of toxic fumes (nitrogen oxides).

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Substance-related data:

##### Acute toxicity

Phosphoric Acid : LC 50 - inhalation - 1h rat 3.846 mg/L. - MSDS supplier

Phosphoric Acid : LD 50 - dermal rabbit 2,740 mg/kg. - MSDS supplier

Phosphoric Acid : LD 50 - oral rat 500 mg/kg. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LD 50 - oral rat 1,064 mg/kg. - MSDS supplier

Nitric acid : LC 50 - inhalation - 4h rat (OECD 403): 2.65 mg/L. - vapour - MSDS supplier

##### Skin corrosion/irritation

Phosphoric Acid ( 75% ) : Skin irritation . Corrosive. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Cutaneous contact . Irritating - MSDS supplier

##### Serious damage to eyes/eye irritation

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Eye irritation . Risk of serious damage of eyes - MSDS supplier

Phosphoric Acid ( 75% ) : Eye irritation rabbit . Corrosive. - MSDS supplier

##### Sensitisation

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Skin sensitisation . Not sensitising - MSDS supplier

##### Mutagenicity

Nitric acid ( 58% ) : . Not mutagenic - MSDS supplier

## DEPTACID ARS

Code: 012Z0

## Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

---

## Carcinogenicity

Nitric acid ( 58% ) : . Not carcinogenic - MSDS supplier

Mix-related data:

## Acute toxicity

. Not determined

## Skin corrosion/irritation

Skin corrosivity . The mixture should be considered as corrosive because of its extreme pH.

## Serious damage to eyes/eye irritation

Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC.

## Respiratory / skin sensitisation

Skin sensitisation . The mixture is not considered as a skin sensitiser according to 1272/2008/EC Regulation.

Respiratory sensitisation . The mixture is not considered as a respiratory sensitiser according to 1272/2008/EC Regulation.

## Mutagenicity

. The classification criteria are not met given the available data.

## Carcinogenicity

. The classification criteria are not met given the available data.

## Reproductive toxicity

. The classification criteria are not met given the available data.

## Specific target organ toxicity - single exposure

. The classification criteria are not met given the available data.

## Specific target organ toxicity - repeated exposure

. The classification criteria are not met given the available data.

## Aspiration hazard

. The classification criteria are not met given the available data.

## Most important symptoms and effects, both acute and delayed :

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.

Can cause severe damage to the stomach or oesophagus.

## DEPTACID ARS

Code: 012Z0

## Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

Inhalation : Corrosive to the respiratory tract.  
Harmful if inhaled.

## SECTION 12: Ecological information

## 12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil

Substance-related data:

## Acute toxicity

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : EC 50 - 48h daphnia 3.1 mg/L. - MSDS supplier

Phosphoric Acid : LC 50 - 96h fishes 3 - 3.25 mg/L. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : IC 50 algae 0.143 mg/L. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LC 50 - 96h fishes 2.67 mg/L. - MSDS supplier

Nitric acid ( 100% ) : LC 50 - 96h fishes &gt; 100 mg/L. - MSDS supplier

Phosphoric Acid : EC 50 - 72H algae (OECD 201): &gt; 100 mg/L.

Phosphoric Acid : EC 50 - 48h daphnia (OECD 202): &gt; 100 mg/L. - MSDS supplier

## CHRONIC TOXICITY

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : NOEC algae 0.067 mg/L. - MSDS supplier

## Degradability

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Biodegradability . Easily biodegradable. - MSDS supplier

Mix-related data: :

## Acute toxicity

fishes . Not determined

daphnia . Not determined

algae . Not determined

## CHRONIC TOXICITY

. No data available.

## Degradability

. The surface agents contained in this mix are in line with the requirements of the Detergent Regulation 648/2004/EC.

## Bioaccumulation

. No data available.

## Mobility

. No data available.

## Conclusion :

The mixture is not considered to be dangerous for the environment according to 1272/2008/EC Regulation.

## DEPTACID ARS

Code: 012Z0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

#### 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

#### 12.6. Other adverse effects

No additional information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Treatment of the mixture :

Do not discharge the product directly to sewer or to environment.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

##### Packaging treatment :

Rinse thoroughly the packaging with water and treat the effluent like wastes.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

### SECTION 14: Transport information

#### ROAD TRANSPORT:

Rail/Route (RID/ADR)

UN no : 3264

UN proper shipping name :CORROSIVE LIQUID, ACIDIC,INORGANIC , N.O.S. (Phosphoric Acid+Nitric acid)

Transport hazard class(es) : 8

Packing group : II

Hazard code : 80

Label : 8



Tunnel code : E

Environmental hazard : No

Special precautions for user : No information.

Limited Quantity (QL): 1L

#### MARITIME TRANSPORT :

IMDG

UN no :3264

## DEPTACID ARS

Code: 012Z0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

UN proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC , N.O.S. (Phosphoric Acid+Nitric acid)

Transport hazard class(es) : 8



Packing group : II

Marine pollutant : No

Special precautions for user : No information.

EmS number : F-A,S-B

Limited Quantity (QL): 1L

Transport in bulk according to Annex II of MARPOL and the IBC Code :

Not concerned

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations relating to the hazards from major accidents :

SEVESO 3 Directive (2012/18/EC) : Not concerned

Regulations relating to the classification, packing and labelling of substances and mixes :

Regulation 1272/2008/EC amended.

Waste regulations :

2008/98/EC Directive amended by 2015/1127/EC Directive - Regulation 1357/2014/EC

Decision 2014/955/EC which establishes the list of hazardous waste.

Protection of workers :

Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation 850/2004/EC on persistent organic pollutants and modifying Directive 79/117/EC : Not applicable

Regulation 1005/2009/EC amended on substances that deplete the ozone layer : Not applicable

Regulation (EC) 648/2004 :

In conformity with the regulation in force on detergents: Regulation (EC) N° 648/2004.

Ingredient datasheet for the medical staff is available upon written request.

Contains :

15-30% Phosphates

## DEPTACID ARS

Code: 012Z0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

---

< 5% Non-ionic surfactants, Anionic surfactants

Comply with national and local legislation.

#### 15.2. Chemical safety assessment

No

#### SECTION 16: Other information

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known. In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of.

Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

Section(s) modified compared with the previous version :

SECTION 2: Hazards identification;SECTION 3: Composition/information on ingredients;SECTION 4: First aid measures;SECTION 11: Toxicological information

List of H phrases referred to in sections 2 and 3 :

H272 : May intensify fire; oxidiser.

H290 : May be corrosive to metals.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H318 : Causes serious eye damage.

H331 : Toxic if inhaled.

H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

Sources of key data used to compile the data sheet :

## DEPTACID ARS

Code: 012Z0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.1.0

Revision: 30/05/17

Print Date : 05/08/19

---

MSDS supplier

International limit values for chemical agents

Historical :

Version 6.1.0

Cancels and replaces previous version 6.0.1