



DEPTAL CH

Code: 0 267 0

## Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 26/01/17

Print Date : 04/04/19

Tél : + 33 (0) 1 45 42 59 59

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

Skin corrosion - Category 1A

H314: Causes severe skin burns and eye damage.

Substance corrosive to metals - Category 1

H290: May be corrosive to metals.

#### 2.2. Label elements

##### Labelling according to 1272/2008/EC Regulation:

##### Hazard pictograms(s) :



##### Signal word :

Danger

Contains : Sodium hydroxide

##### Hazard statement(s) :

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

##### Precautionary statement(s) :

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

## DEPTAL CH

Code: 0 267 0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 26/01/17

Print Date : 04/04/19

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310: Immediately call a POISON CENTER or doctor/physician.  
 P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable as this involves a mixture.

#### 3.2. Mixtures

Chemical nature of the mixture : Complex-forming liquid alkaline

Substance(s)	CAS number(s)	EINECS number(s)	No registration REACH	Classification according to Regulation 1272/2008/EC	Type
15% <= Sodium hydroxide < 30%	1310-73-2	215-185-5	01-2119457892-27	Skin Corr. 1A H314 Met. Corr. 1 H290	(1)
5% <= Ethylenediamine tetraacetic acid tetrasodium salt < 15%	64-02-8	200-573-9	01-2119486762-27	Acute Tox. 4 (inhalation) H332 Acute Tox. 4 (oral) H302 Eye Dam. 1 H318 STOT RE 2 H373	(1)

#### Type

- (1) : Substance classified as hazardous for health and/or the environment
- (2) : Substance with an exposure limit at the work station.
- Substance of very high concern candidate for the authorisation procedure:
- (3) : Substance considered as PBT (persistent, bioaccumulable, toxic)
- (4) : Substance considered as vPvB (very persistent, very bioaccumulable)
- (5) : Substance considered as carcinogenic category 1A
- (6) : Substance considered as carcinogenic category 1B
- (7) : Substance considered as mutagenic category 1A

## DEPTAL CH

Code: 0 267 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 26/01/17

**Print Date :** 04/04/19

---

- (8) : Substance considered as mutagenic category 1B
- (9) : Substance considered as reprotoxic category 1A
- (10) : Substance considered as reprotoxic category 1B
- (11) : Substance considered as endocrine disrupter

Full text of H- and EUH- phrases : see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### **General indications:**

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again.  
In case of faintness , get medical advice/attention. Show this safety data sheet to the doctor.

#### **In the event of inhalation :**

Bring to fresh air.  
Put into practice respiratory help procedure if needed and get medical advice immediately.

#### **In the event of contact with the skin :**

Take off immediately all contaminated clothing.  
Wash immediately with plenty of water for 15 minutes at least.  
Immediately call a POISON CENTER or doctor/physician.

#### **In the event of contact with the eyes :**

Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open.  
Remove contact lenses if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.

#### **In the event of ingestion :**

Rinse mouth.  
Do NOT induce vomiting.  
Get medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact :** Corrosive : Causes severe burns.

**Eye contact :** Causes serious eye damage.

**Ingestion :** Causes severe burns in mouth and digestive tract.

**Inhalation :** Aerosols can induce respiratory tracts irritation.

## DEPTAL CH

Code: 0 267 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 26/01/17

**Print Date :** 04/04/19

---

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Treatments :** Symptomatic treatment

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media :**

Spray water, foam or dry ice.

Agents compatible with other products involved into fire.

**Unsuitable extinguishing media :**

None from our knowledge.

#### 5.2. Special hazards arising from the substance or mixture

DEPTAL CH is non-flammable.

However, in contact with certain metals (aluminium, zinc...), release of flammable and/or explosive hydrogen if ignited.

Warming or fire can generate toxic gases (nitrogen oxides (NOx), carbon oxides).

#### 5.3. Advice for firefighters

Wear independent respiratory equipment and protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains.

Keep containers cool by spraying with water if exposed to fire.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**6.1.1. For non-emergency personnel :**

Evacuate non-essential staff and those not equipped with individual protection apparatus.

**6.1.2. For emergency responders :**

Evacuate the personnel to a safe location.

Keep people upwind and away from the location of the flow/leak.

Use personal protection equipment.

#### 6.2. Environmental precautions

## DEPTAL CH

Code: 0 267 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 26/01/17

**Print Date :** 04/04/19

---

Intervention limited to trained staff.  
Do not discharge the product directly to sewer or to environment.  
Take as soon as possible all incompatible materials away.

#### 6.3. Methods and material for containment and cleaning up

##### **Small spillage :**

Pump in a reservoir of help.

##### **Large spillage :**

Never return spills in original containers for re-use.  
Keep in suitable, properly labelled and closed containers for disposal.  
Mark out, soak up with an inert absorbant and pump in an emergency tank.

#### 6.4. Reference to other sections

Respect protective measures presented at heading 8.  
Refer to section 13 for the elimination.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing.  
Do not eat, drink or smoke in work area. Avoid projections during use.  
Do not mix with an acid.  
Take off immediately all contaminated clothing.  
Do not mix with strong oxidizing agents.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### **7.2.1. Storage :**

Keep only in the original container.  
Keep container closed.  
Do not store below the point of freezing.

##### **7.2.2. Packaging or wrapping materials :**

High density polyethylene recommended.

#### 7.3. Specific end use(s)

No other recommendation.

### SECTION 8: Exposure controls/personal protection

## DEPTAL CH

Code: 0 267 0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 26/01/17

Print Date : 04/04/19

#### 8.1. Control parameters

##### Exposure limit values :

Substance	Country	Type	Value	Unit	Comments	source
Sodium hydroxide	FRA	VLCT	2	mg/m <sup>3</sup>		MSDS supplier
		VLEP 8h	2	mg/m <sup>3</sup>	Valeur limite indicative	International limit values for chemical agents
		EMV (Exposure medium value) :	2	mg/m <sup>3</sup>		INRS
			ppm		INRS	
	AUT	OEL 8h	2 inhalable aerosol	mg/m <sup>3</sup>		International limit values for chemical agents
		OEL Short term	4 inhalable aerosol	mg/m <sup>3</sup>		International limit values for chemical agents
	BEL	OEL 8h	2	mg/m <sup>3</sup>	M	International limit values for chemical agents
	CHE	OEL 8h	2 inhalable aerosol	mg/m <sup>3</sup>		International limit values for chemical agents
		OEL Short term	2 inhalable aerosol	mg/m <sup>3</sup>		International limit values for chemical agents
	DNK	OEL 8h	2	mg/m <sup>3</sup>		International limit values for chemical agents
		OEL Short term	2	mg/m <sup>3</sup>		International limit values for chemical agents
	ESP	OEL 8h	2	mg/m <sup>3</sup>		International limit values for chemical agents
	GBR	OEL Short term	2	mg/m <sup>3</sup>		International limit values for chemical agents
	SWE	OEL 8h	1	mg/m <sup>3</sup>	Inhalable dust	International limit values for chemical agents
	POL	NDS 8h	0,5	mg/m <sup>3</sup>		International limit values for chemical agents
		NDSCh Short term	1	mg/m <sup>3</sup>		International limit values for chemical agents
		STEL	1	mg/m <sup>3</sup>		MSDS supplier
		TWA	0,5	mg/m <sup>3</sup>		MSDS supplier
	HUN	OEL 8h	2	mg/m <sup>3</sup>		International limit values for chemical agents
		OEL Short term	2	mg/m <sup>3</sup>		International limit values for chemical agents
	LVA	EMV (Exposure medium value) : 8h	0.5	mg/m <sup>3</sup>		
	SVN	OEL	2	mg/m <sup>3</sup>	opomba: Y	Rules on the protection of workers against the risks related to exposure to chemicals at work in Slovenia (Official Gazette RS, št 100/01, 39/05, 53/07, 102/10, 43/11. ZVZD-1 in 38/15)
		STEL	1		opomba: Y	Rules on the protection of workers against the risks related to exposure to chemicals at work in Slovenia (Official Gazette RS, št 100/01, 39/05, 53/07, 102/10, 43/11. ZVZD-1 in 38/15)
HRV	OEL Short term	2	mg/m <sup>3</sup>			

**DEPTAL CH**

Code: 0 267 0

## *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 26/01/17

**Print Date :** 04/04/19

---

### 8.2. Exposure controls

According to the requirements of Directive 98/24 /EC, the employer is required to conduct a risk assessment and implement appropriate risks management measures.

\* For any situation where the absence of risk is not proven, he must consider the substitution or reduction of risk by improving in priority processes used and collective protection measures. The effectiveness of the solutions implemented will be checked by measurement in comparison to the statutory limit values for substances defined in Section 8.1.

\* If the risk remains after these corrective actions, he must always check by routinely measuring compliance with regulatory OEL if they exist in section 8.1 and apply all the individual protective measures given in section 8.2.

\* When formalized risk assessment indicates a low risk to workers' health, control of compliance with regulatory OEL may not be considered and all individual protection measures is not always mandatory.

#### 8.2.1. Appropriate engineering controls :

Ensure adequate ventilation.

Apply the necessary technical measures to comply with the professional exposure limit values.

#### 8.2.2. Individual protection measures, such as personal protective equipment :

##### Eye/face protection :

Use safety glasses or facial screen in conformity with the EN 166 standard.



##### Hand protection :

Use chemical resistant gloves approved to EN 374.

Examples of preferred materials for insulating gloves:

Butyl rubber.

Nitril.

Neoprene.

PVC

Do not wear polyvinyl alcohol (PVA) gloves.



## DEPTAL CH

Code: 0 267 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

Version 6.0.0

Revision: 26/01/17

Print Date : 04/04/19

---



#### **Skin protection :**

Wear boots and a protective cloth with chemical resistance.



#### **Respiratory protection :**

None under normal conditions of use.

#### **Thermal hazards :**

Not applicable

#### **Health measures :**

Safety shower and eye wash fountain near to workplace.

After using, wash systematically all personal protective equipment.

Handle in accordance with good industrial hygiene practices and the safety instructions.

#### **8.2.3. Environmental exposure controls :**

Do not discharge the product directly to sewer or to environment.

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

**DEPTAL CH**

Code: 0 267 0

**Material Safety Data Sheet compliant with Regulation (EC) 2015/830**

Version 6.0.0

Revision: 26/01/17

Print Date : 04/04/19

Appearance	Opalescent liquid
Colour	Pale yellow
Odour	Odourless
Odour threshold	Not available
Pure pH	Not available
pH value at 10g/l	12.5±0.3
Freezing point :	-15 °C
Boiling point	Not available
Flash point	Not applicable
Evaporation rate:	Not available
Flammability	Not applicable
Vapour pressure	Not available
Vapour density	Not available
Mass density	1.26±0.01 g/cm <sup>3</sup>
Relative density	1.26±0.01
Solubility in water	Soluble in water in all proportions
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not applicable
Oxidising properties	Not applicable
miscibility	Miscible with water

**9.2. Other information**

No additional information.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

None under normal conditions of use.

**10.2. Chemical stability**

Stable in the recommended storage and handling conditions.

**10.3. Possibility of hazardous reactions**

Exothermic reactions with acids.

Exothermic reactions with strong oxidizing agents.

**10.4. Conditions to avoid**

None to our knowledge.

## DEPTAL CH

Code: 0 267 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 26/01/17

**Print Date :** 04/04/19

#### 10.5. Incompatible materials

Acids.  
Strong oxidizing agents.  
Light metals and/or colored.

#### 10.6. Hazardous decomposition products

Warming or fire can generate toxic gases (nitrogen oxides (NO<sub>x</sub>), carbon oxides).  
In contact with certain metals (aluminium, zinc...), release of flammable and/or explosive hydrogen if ignited.

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### **Substance-related data:**

##### Acute toxicity

Ethylenediamine tetraacetic acid tetrasodium salt : LD 50 - oral rat 1,780 mg/kg. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : LC 50 - inhalation - 4h rat 1.5 mg/L. - MSDS supplier

Sodium hydroxide ( 50% ) : Oral . The oral DL50 has not been determined given the corrosiveness of the substance. - MSDS supplier

Sodium hydroxide ( 50% ) : Dermal route . The dermal DL50 has not been determined given the corrosiveness of the substance. - MSDS supplier

##### Skin corrosion/irritation

Sodium hydroxide ( 50% ) : Cutaneous contact rat . Corrosive to the skin - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : Skin irritation (OECD 404): . non irritating - MSDS supplier

##### Serious damage to eyes/eye irritation

Sodium hydroxide ( 50% ) : Eye contact : . corrosive to the eyes - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : Eye contact : . Can induce serious ocular damages or even irreversibles - MSDS supplier

##### Respiratory tracts irritation

Sodium hydroxide ( 50% ) : Respiratory tracts irritation . Fog inhalation is irritant for respiratory tract - MSDS supplier

##### Sensitisation

Ethylenediamine tetraacetic acid tetrasodium salt : Sensitisation guinea-pig (OECD 406): . Not sensitising - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

## DEPTAL CH

Code: 0 267 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 26/01/17

**Print Date :** 04/04/19

---

#### Mutagenicity

Ethylenediamine tetraacetic acid tetrasodium salt : Micronucleus test (OECD 474): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt)

Ethylenediamine tetraacetic acid tetrasodium salt : Lymphoma test mouse (OECD 476): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt)

Ethylenediamine tetraacetic acid tetrasodium salt : Chromosomal aberration test (OECD 473): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt)

Ethylenediamine tetraacetic acid tetrasodium salt : Ames test (OECD 471): . Negative - Based on cross reading (N-(2-Hydroxyethyl)ethylenediaminetriacetic acid and trisodium salt)

Sodium hydroxide : . Not mutagenic - MSDS supplier

#### Carcinogenicity

Sodium hydroxide : mouse . Not carcinogenic - MSDS supplier

#### **Mix-related data: :**

##### Acute toxicity

. Not determined

##### Skin corrosion/irritation

Skin corrosivity . The mixture should be considered as corrosive because of its extreme pH.

##### Serious damage to eyes/eye irritation

Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC.

##### Respiratory / skin sensitisation

Skin sensitisation . The mixture is not considered as a skin sensitiser according to 1272/2008/EC Regulation.

Respiratory sensitisation . The mixture is not considered as a respiratory sensitiser according to 1272/2008/EC Regulation.

##### Mutagenicity

. The classification criteria are not met given the available data.

##### Carcinogenicity

. The classification criteria are not met given the available data.

##### Reproductive toxicity

. The classification criteria are not met given the available data.

##### Specific target organ toxicity - single exposure

. The classification criteria are not met given the available data.

##### Specific target organ toxicity - repeated exposure

. The classification criteria are not met given the available data.

##### Aspiration hazard

. The classification criteria are not met given the available data.

DEPTAL CH

Code: 0 267 0

*Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

Version 6.0.0

Revision: 26/01/17

Print Date : 04/04/19

**Most important symptoms and effects, both acute and delayed :**

**Skin contact :** Corrosive : Causes severe burns.

**Eye contact :** Causes serious eye damage.

**Ingestion :** Causes severe burns in mouth and digestive tract.

**Inhalation :** Aerosols can induce respiratory tracts irritation.

**SECTION 12: Ecological information**

**12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil**

**Substance-related data:**

Acute toxicity

Sodium hydroxide : LC 50 - 96 h fishes (Gambusia affinis) 35 - 189 mg/L. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt ( 40% ) : EC 20 - 30 min bacterias (OECD 209); > 500 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : EC 50 - 48h daphnia (Daphnia magna) > 100 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : LC 50 - 96h fishes (Lepomis macrochirus) > 100 mg/L. - The product has not been tested. The information comes from structure or analogue composition products. - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : EC 50 - 72h Aquatic species > 100 mg/L. - MSDS supplier

Degradability

Sodium hydroxide ( 50% ) : Biodegradability aerobic . Not applicable - MSDS supplier

Sodium hydroxide ( 50% ) : Biodegradability anaerobic . Not applicable - MSDS supplier

Sodium hydroxide ( 50% ) : Half life air 13 seconds. Degradation product = sodium carbonate - MSDS supplier

Sodium hydroxide ( 50% ) : water. . Instantaneous ionization; Degradation products : salts - MSDS supplier

Sodium hydroxide ( 50% ) : soil . Ionization / neutralization - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt : Biodegradability . Not easily biodegradable - MSDS supplier

Bioaccumulation

Sodium hydroxide ( 50% ) : . Not applicable - MSDS supplier

Ethylenediamine tetraacetic acid tetrasodium salt ( 40% ) : . Not bioaccumulative considering that BCF<100 and log Pow<3 - MSDS supplier

Mobility

Sodium hydroxide ( 50% ) : air . Instantaneous degradation - MSDS supplier

Sodium hydroxide ( 50% ) : water. . Important solubility and mobility - MSDS supplier

Sodium hydroxide ( 50% ) : soil/sediments . Important solubility and mobility; Contamination of ground water in case of rain - MSDS supplier

## DEPTAL CH

Code: 0 267 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

Version 6.0.0

Revision: 26/01/17

Print Date : 04/04/19

---

#### **Mix-related data: :**

Acute toxicity  
fishes . Not determined  
daphnia . Not determined  
algae . Not determined

CHRONIC TOXICITY  
. No data available.

Degradability  
. The surface agents contained in this mix are in line with the requirements of the Detergent Regulation 648/2004/EC.

Bioaccumulation  
. No data available.

Mobility  
. No data available.

#### **Conclusion :**

The mixture is not considered to be dangerous for the environment according to 1272/2008/EC Regulation.

#### **12.5. Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

#### **12.6. Other adverse effects**

No additional information available.

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

##### **Treatment of the mixture :**

Do not discharge the product directly to sewer or to environment.  
Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

##### **Packaging treatment :**

Rinse thoroughly the packaging with water and treat the effluent like wastes.

## DEPTAL CH

Code: 0 267 0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 26/01/17

Print Date : 04/04/19

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

#### SECTION 14: Transport information

##### **ROAD TRANSPORT:**

Rail/Route (RID/ADR)

UN no : 1824

UN proper shipping name :SODIUM HYDROXIDE IN SOLUTION (Sodium hydroxide)

Transport hazard class(es) : 8

Packing group : II

Hazard code : 80

Label : 8



Tunnel code : E

Environmental hazard : No

Special precautions for user : No information.

Limited Quantity (QL): 1L

##### **MARITIME TRANSPORT :**

IMDG

UN no :1824

UN proper shipping name : SODIUM HYDROXIDE IN SOLUTION (Sodium hydroxide)

Transport hazard class(es) : 8



Packing group : II

Marine pollutant : No

Special precautions for user : No information.

EmS number : F-A, S-B

Limited Quantity (QL): 1L

**Transport in bulk according to Annex II of MARPOL and the IBC Code :**

Not concerned

#### SECTION 15: Regulatory information

**DEPTAL CH**

Code: 0 267 0

## *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 26/01/17

**Print Date :** 04/04/19

---

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Regulations relating to the hazards from major accidents :**

SEVESO 3 Directive (2012/18/EC) : Not concerned

**Regulations relating to the classification, packing and labelling of substances and mixes :**

Regulation 1272/2008/EC amended.

**Waste regulations :**

2008/98/EC Directive amended by 2015/1127/EC Directive - Regulation 1357/2014/EC

Decision 2014/955/EC which establishes the list of hazardous waste.

**Protection of workers :**

Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Regulation 850/2004/EC on persistent organic pollutants and modifying Directive 79/117/EC :** Not applicable

**Regulation 1005/2009/EC amended on substances that deplete the ozone layer :** Not applicable

**Regulation (EC) 648/2004 :**

In conformity with the regulation in force on detergents: Regulation (EC) N° 648/2004.

Ingredient datasheet for the medical staff is available upon written request.

Contains :

5-15% EDTA and salts thereof

< 5% Polycarboxylates, Non-ionic surfactants

Comply with national and local legislation.

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information



**DEPTAL CH**

Code: 0 267 0

## *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 26/01/17

**Print Date :** 04/04/19

---

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known.

In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of.

Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

### **Section(s) modified compared with the previous version :**

Revision of the safety data sheet according to 2015/830/EC Regulation.

### **List of H phrases referred to in sections 2 and 3 :**

H290 : May be corrosive to metals.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage.

H332 : Harmful if inhaled.

H373 : May cause damage to organs through prolonged or repeated exposure.

### **Sources of key data used to compile the data sheet :**

INRS

MSDS supplier

International limit values for chemical agents

Rules on the protection of workers against the risks related to exposure to chemicals at work in Slovenia (Official Gazette RS, št 100/01, 39/05, 53/07, 102/10, 43/11. - ZVZD-1 in 38/15)

### **Historical :**

Version 6.0.0

Cancels and replaces previous version 5.0.