



## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

75014 Paris - FRANCE  
Tél : + 33 (0) 1 45 42 59 59

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

Acute toxicity - Category 4 (per oral route)

H302: Harmful if swallowed.

Serious damage to eyes - Category 1

H318: Causes serious eye damage.

Skin irritation - Category 2

H315: Causes skin irritation.

Specific target organ toxicity (STOT) - single exposure - Category 3

H335: May cause respiratory irritation.

### 2.2. Label elements

#### Labelling according to 1272/2008/EC Regulation:

#### Hazard pictograms(s) :



#### Signal word :

Danger

Contains : Hydrogen peroxide

#### Hazard statement(s) :

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

## DEPTIL POH

Code: 0 304 0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

#### Precautionary statement(s) :

P261: Avoid breathing vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable as this involves a mixture.

#### 3.2. Mixtures

Chemical nature of the mixture : LIQUID ACID

Substance(s)	CAS number(s)	EINECS number(s)	No registration REACH	Classification according to Regulation 1272/2008/EC	Type
35% <= Hydrogen peroxide < 50%	7722-84-1	231-765-0	01-2119485845-22	Ox. Liq. 1 H271 Acute Tox. 4 (inhalation) H332 Acute Tox. 4 (oral) H302 Skin Corr. 1A H314 STOT SE 3 H335 Aquatic Chronic 3 H412 Eye Dam. 1 H318	(1)

Type

(1) : Substance classified as hazardous for health and/or the environment

## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 03/02/17

**Print Date :** 04/04/19

---

- (2) : Substance with an exposure limit at the work station.  
Substance of very high concern candidate for the authorisation procedure:  
(3) : Substance considered as PBT (persistent, bioaccumulable, toxic)  
(4) : Substance considered as vPvB (very persistent, very bioaccumulable)  
(5) : Substance considered as carcinogenic category 1A  
(6) : Substance considered as carcinogenic category 1B  
(7) : Substance considered as mutagenic category 1A  
(8) : Substance considered as mutagenic category 1B  
(9) : Substance considered as reprotoxic category 1A  
(10) : Substance considered as reprotoxic category 1B  
(11) : Substance considered as endocrine disrupter

Full text of H- and EUH- phrases : see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### **General indications:**

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again.  
In case of faintness , get medical advice/attention. Show this safety data sheet to the doctor.

#### **In the event of inhalation :**

Bring to fresh air.  
Put into practice respiratory help procedure if needed and get medical advice immediately.

#### **In the event of contact with the skin :**

Take off immediately all contaminated clothing.  
Wash immediately and abundantly with water and soap.  
If skin irritation occurs: Get medical advice/attention.

#### **In the event of contact with the eyes :**

Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open.  
Remove contact lenses if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.

#### **In the event of ingestion :**

Rinse mouth.  
Do NOT induce vomiting.  
Send to hospital.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact :** Causes skin irritation.

## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 03/02/17

**Print Date :** 04/04/19

---

**Eye contact :** Causes serious eye damage.

**Ingestion :** Harmful if swallowed.  
Risk of mouth, oesophagus and stomach burns

**Inhalation :** May cause respiratory irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Treatments :** Symptomatic treatment

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media :**

Waterspray.

**Unsuitable extinguishing media :**

None from our knowledge.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition gives Oxygen, that can enhance sites of combustion. Hazards of overpressurization in containers exposed to heat : explosion risk.

#### 5.3. Advice for firefighters

Wear independent respiratory equipment and protective suit.  
Collect contaminated firefighting water separately, must not be discharged into the drains.  
Keep containers cool by spraying with water if exposed to fire.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel :

Evacuate non-essential staff and those not equipped with individual protection apparatus.

##### 6.1.2. For emergency responders :

Evacuate the personnel to a safe location.  
Keep people upwind and away from the location of the flow/leak.

## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 03/02/17

**Print Date :** 04/04/19

---

Use personal protection equipment.

#### 6.2. Environmental precautions

Intervention limited to trained staff.

Do not discharge the product directly to sewer or to environment.

Take as soon as possible all incompatible materials away.

#### 6.3. Methods and material for containment and cleaning up

##### **Small spillage :**

Wash with plenty of water.

##### **Large spillage :**

Never return spills in original containers for re-use.

Keep in suitable, properly labelled and closed containers for disposal.

Mark out, soak up with an inert absorbant and pump in an emergency tank.

#### 6.4. Reference to other sections

Respect protective measures presented at heading 8.

Refer to section 13 for the elimination.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Do not eat, drink or smoke in work area. Avoid projections during use.

Ensure a sufficient ventilation in case of risk of formation of vapours or aerosols.

Take off immediately all contaminated clothing.

Avoid discharge when using.

Operate in a well ventilated place.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### **7.2.1. Storage :**

Keep only in the original container.

Keep in a clean, cool and well-ventilated place away from sources of heat and intense light.

Keep away from incompatible matters (see heading 10).

Keep container closed.

##### **7.2.2. Packaging or wrapping materials :**

High density polyethylene recommended.

#### 7.3. Specific end use(s)

No other recommendation.

**DEPTIL POH**

Code: 0 304 0

*Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

---

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limit values :**

## DEPTIL POH

Code: 0 304 0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

Substance	Country	Type	Value	Unit	Comments	source
Hydrogen peroxide	FRA	VLEP 8h	1	ppm	Valeur limite indicative	International limit values for chemical agents
			1,5	mg/m <sup>3</sup>	Valeur limite indicative	International limit values for chemical agents
		EMV (Exposure medium value) :	1	ppm		
			1,5	mg/m <sup>3</sup>		
	AUT	OEL 8h	1	ppm		International limit values for chemical agents
			1,4	mg/m <sup>3</sup>		International limit values for chemical agents
		OEL Short term	2	ppm		International limit values for chemical agents
			2,8	mg/m <sup>3</sup>		International limit values for chemical agents
	BEL	OEL 8h	1	ppm		International limit values for chemical agents
			1,4	mg/m <sup>3</sup>		International limit values for chemical agents
	CHE	OEL 8h	0,5	ppm		International limit values for chemical agents
			0,71	mg/m <sup>3</sup>		International limit values for chemical agents
		OEL Short term	0,5	ppm		International limit values for chemical agents
			0,71	mg/m <sup>3</sup>		International limit values for chemical agents
	DEU	OEL 8h	0,5	ppm		International limit values for chemical agents (German Research Foundation)
			0,71	mg/m <sup>3</sup>		International limit values for chemical agents (German Research Foundation)
		OEL Short term	0,5	ppm		International limit values for chemical agents (German Research Foundation)
			0,71	mg/m <sup>3</sup>		International limit values for chemical agents (German Research Foundation)
	DNK	OEL 8h	1	ppm		International limit values for chemical agents
			1,4	mg/m <sup>3</sup>		International limit values for chemical agents
		OEL Short term	2	ppm		International limit values for chemical agents
			2,8	mg/m <sup>3</sup>		International limit values for chemical agents
	ESP	OEL 8h	1	ppm		International limit values for chemical agents
			1,4	mg/m <sup>3</sup>		International limit values for chemical agents
	GBR	OEL 8h	1	ppm		International limit values for chemical agents
			1,4	mg/m <sup>3</sup>		International limit values for chemical agents
		OEL Short term	2	ppm		International limit values for chemical agents
			2,8	mg/m <sup>3</sup>		International limit values for chemical agents
		STEL	2	ppm		MSDS supplier
			2,8	mg/m <sup>3</sup>		MSDS supplier
TWA		1	ppm		MSDS supplier	
		1,4	mg/m <sup>3</sup>		MSDS supplier	
SWE	OEL 8h	1	ppm		International limit values for chemical agents	
		1,4	mg/m <sup>3</sup>		International limit values for chemical agents	
EST	VLCT Short term	2	ppm		Regulation No 293 of the Government of the Republic of Estonia	
		3	mg/m <sup>3</sup>		Regulation No 293 of the Government of the Republic of Estonia	
	VLEP 8h	1	ppm		Regulation No 293 of the Government of the Republic of Estonia	
		1,4	mg/m <sup>3</sup>		Regulation No 293 of the Government of the Republic of Estonia	

## DEPTIL POH

Code: 0 304 0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

Hydrogen peroxide	HRV	OEL 8h	1	ppm	
			1,4	mg/m <sup>3</sup>	
		OEL 15 min	2	ppm	
			2,8	mg/m <sup>3</sup>	

## 8.2. Exposure controls

According to the requirements of Directive 98/24 /EC, the employer is required to conduct a risk assessment and implement appropriate risks management measures.

\* For any situation where the absence of risk is not proven, he must consider the substitution or reduction of risk by improving in priority processes used and collective protection measures. The effectiveness of the solutions implemented will be checked by measurement in comparison to the statutory limit values for substances defined in Section 8.1.

\* If the risk remains after these corrective actions, he must always check by routinely measuring compliance with regulatory OEL if they exist in section 8.1 and apply all the individual protective measures given in section 8.2.

\* When formalized risk assessment indicates a low risk to workers' health, control of compliance with regulatory OEL may not be considered and all individual protection measures is not always mandatory.

### 8.2.1. Appropriate engineering controls :

Provide ventilation by extraction.

Apply the necessary technical measures to comply with the professional exposure limit values.

### 8.2.2. Individual protection measures, such as personal protective equipment :

#### Eye/face protection :

Use safety glasses or facial screen in conformity with the EN 166 standard.



#### Hand protection :

Use chemical resistant gloves approved to EN 374.

## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

---

Examples of preferred materials for insulating gloves:

Nitril.

PVC



#### **Skin protection :**

Wear boots and a protective cloth with chemical resistance.



#### **Respiratory protection :**

At the time of handling leading to vapor formation, wear a half-mask in compliance with the European standard EN 140 or a complete mask with a filter in conformity with the European standard EN 136 (in conformity with the European standard EN 141 or EN 14387) of type:

NOx: nitrous vapours.



#### **Thermal hazards :**

Not applicable

#### **Health measures :**

Safety shower and eye wash fountain near to workplace.

After using, wash systematically all personal protective equipment.

#### **8.2.3. Environmental exposure controls :**

Do not discharge the product directly to sewer or to environment.

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

## DEPTIL POH

Code: 0 304 0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

Appearance	Clear liquid
Colour	Colourless
Odour	Pungent
Odour threshold	Not available
Pure pH	4±0
pH value at 10g/l	5±1
Freezing point :	-17 °C
Boiling point	> 100 °C
Flash point	Not applicable
Evaporation rate:	Not available
Flammability	Not applicable
Vapour pressure	Not available
Vapour density	Not available
Mass density	1.135±0.01 g/cm <sup>3</sup>
Relative density	1.135±0.01
Solubility in water	Soluble in water in all proportions
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not applicable
Oxidising properties	The mix is not considered be an oxidising agent under Directive 2001/59/EC.

#### 9.2. Other information

No additional information.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Hazards linked to exothermal reactions.

#### 10.2. Chemical stability

Stable in the recommended storage and handling conditions.

#### 10.3. Possibility of hazardous reactions

Thermal decomposition gives Oxygen, that can enhance sites of combustion. Hazards of overpressurization in containers exposed to heat : explosion risk.

Exothermic reactions with release of oxygen in contact with certain metals (copper, iron...), reducing agents, combustible materials, basis, organic matters.

#### 10.4. Conditions to avoid

Light, heat.

## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

#### 10.5. Incompatible materials

Basis.  
Organic matters.  
Fuel matters.  
Flammable substances.  
Certain metals.  
Reducing agents.

#### 10.6. Hazardous decomposition products

Release of oxygen.

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### **Substance-related data:**

###### Acute toxicity

Hydrogen peroxide ( 35% ) : LD 50 - oral rat 1,193 - 1,270 mg/kg. - MSDS supplier  
Hydrogen peroxide ( 35% ) : LD 50 - dermal rabbit > 2,000 mg/kg. - MSDS supplier  
Hydrogen peroxide ( 100% ) : LC 50 - inhalation - 4h rat 1.5 mg/L. - Mists - MSDS supplier

###### Skin corrosion/irritation

Hydrogen peroxide ( 35% ) : Skin irritation rabbit . Irritating - MSDS supplier

###### Serious damage to eyes/eye irritation

Hydrogen peroxide ( 10% ) : Eye irritation . Serious damage to eyes - MSDS supplier

###### Sensitisation

Hydrogen peroxide ( 35% ) : Sensitisation guinea-pig . Not sensitising - MSDS supplier

###### Mutagenicity

Hydrogen peroxide ( 35% ) : in vivo . Not mutagenic - MSDS supplier

###### Carcinogenicity

Hydrogen peroxide ( 35% ) : Dermal route mouse . Not carcinogenic - MSDS supplier

###### Specific target organ toxicity - single exposure

Hydrogen peroxide ( 50% ) : DR 50 mouse 665 mg/m<sup>3</sup>. Irritating to respiratory system. - MSDS supplier

## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 03/02/17

**Print Date :** 04/04/19

---

#### **Mix-related data: :**

##### Acute toxicity

LD 50 - oral rat 1,270 mg/kg.

LC 50 - inhalation - 4h rat > 0.17 mg/L. - vapour

LD 50 - dermal rabbit > 2,000 mg/kg.

##### Skin corrosion/irritation

Skin irritation . The mixture is considered to be irritating to the skin according to the Regulation 1272/2008/EC.

##### Serious damage to eyes/eye irritation

Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC.

##### Respiratory / skin sensitisation

Skin sensitisation . The mixture is not considered as a skin sensitiser according to 1272/2008/EC Regulation.

Respiratory sensitisation . The mixture is not considered as a respiratory sensitiser according to 1272/2008/EC Regulation.

##### Mutagenicity

. The classification criteria are not met given the available data.

##### Carcinogenicity

. The classification criteria are not met given the available data.

##### Reproductive toxicity

. The classification criteria are not met given the available data.

##### Specific target organ toxicity - single exposure

Respiratory tracts irritation . May cause respiratory irritation.

##### Specific target organ toxicity - repeated exposure

. The classification criteria are not met given the available data.

##### Aspiration hazard

. The classification criteria are not met given the available data.

#### **Most important symptoms and effects, both acute and delayed :**

**Skin contact :** Causes skin irritation.

**Eye contact :** Causes serious eye damage.

**Ingestion :** Harmful if swallowed.

Risk of mouth, oesophagus and stomach burns

## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

**Inhalation** : May cause respiratory irritation.

## SECTION 12: Ecological information

### 12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil

#### **Substance-related data:**

##### Acute toxicity

Hydrogen peroxide ( 35% ) : NOEC - 96h fishes (Pimephales promelas) 4.3 mg/L. - MSDS supplier

Hydrogen peroxide ( 35% ) : EC 50 - 48h shellfishes (Daphnia pulex) 2.4 mg/L. - MSDS supplier

Hydrogen peroxide ( 35% ) : NOEC - 48h shellfishes (Daphnia pulex) 1 mg/L. - MSDS supplier

Hydrogen peroxide ( 35% ) : EC 50 - 72h algae (Skeletonema costatum) 2.6 mg/L. - MSDS supplier

Hydrogen peroxide : NOEC - 72h algae 0.63 mg/L. - MSDS supplier

##### Degradability

Hydrogen peroxide ( 35% ) : Aerobic biodegradability, half time - 0,3-5days . Easily biodegradable. - MSDS supplier

##### Bioaccumulation

Hydrogen peroxide ( 35% ) : Log Pow - 1.57 . Not bioaccumulative - MSDS supplier

#### **Mix-related data: :**

##### Acute toxicity

LC 50 - 96h fishes (Pimephales promelas) 16.4 mg/L.

LC 50 - 48h daphnia (Daphnia pulex) 2.4 mg/L.

EC 50 - 72h algae (Skeletonema costatum) 1.38 mg/L.

##### CHRONIC TOXICITY

. No data available.

##### Degradability

. Through its composition: easily biodegradable.

##### Bioaccumulation

. Through its composition: non-bioaccumulable.

##### Mobility

Mobility in the soil and sediments . Insignificant evaporation and adsorption.

Mobility in water . Important solubility and mobility

#### **Conclusion :**

The mixture is not considered to be dangerous for the environment according to 1272/2008/EC Regulation.

## DEPTIL POH

Code: 0 304 0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

#### 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

#### 12.6. Other adverse effects

No additional information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### **Treatment of the mixture :**

Do not discharge the product directly to sewer or to environment.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

##### **Packaging treatment :**

Rinse thoroughly the packaging with water and treat the effluent like wastes.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

### SECTION 14: Transport information

#### **ROAD TRANSPORT:**

Rail/Route (RID/ADR)

UN no : 2014

UN proper shipping name :HYDROGEN PEROXIDE IN AQUEOUS SOLUTION (Hydrogen peroxide)

Transport hazard class(es) : 5.1

Packing group : II

Hazard code : 58

Label : 5.1 8



Tunnel code : E

Environmental hazard : No

Special precautions for user : No information.

Limited Quantity (QL): 1L

## DEPTIL POH

Code: 0 304 0

### Material Safety Data Sheet compliant with Regulation (EC) 2015/830

Version 6.0.0

Revision: 03/02/17

Print Date : 04/04/19

#### **MARITIME TRANSPORT :**

IMDG

UN no :2014

UN proper shipping name : HYDROGEN PEROXIDE IN AQUEOUS SOLUTION (Hydrogen peroxide)

Transport hazard class(es) : 5.1



Packing group : II

Marine pollutant : No

Special precautions for user : No information.

EmS number : F-H, S-Q

Limited Quantity (QL): 1L

#### **Transport in bulk according to Annex II of MARPOL and the IBC Code :**

Not concerned

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Regulations relating to the hazards from major accidents :**

SEVESO 3 Directive (2012/18/EC) : Not concerned

#### **Regulations relating to the classification, packing and labelling of substances and mixes :**

Regulation 1272/2008/EC amended.

#### **Waste regulations :**

2008/98/EC Directive amended by 2015/1127/EC Directive - Regulation 1357/2014/EC

Decision 2014/955/EC which establishes the list of hazardous waste.

#### **Protection of workers :**

Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Regulation 850/2004/EC on persistent organic pollutants and modifying Directive 79/117/EC :** Not applicable

**Regulation 1005/2009/EC amended on substances that deplete the ozone layer :** Not applicable

## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 03/02/17

**Print Date :** 04/04/19

---

#### **Regulation (EC) 648/2004 :**

Not concerned

Comply with national and local legislation.

#### 15.2. Chemical safety assessment

No

### SECTION 16: Other information

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known.

In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of.

Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

#### **Section(s) modified compared with the previous version :**

Revision of the safety data sheet according to 2015/830/EC Regulation.

#### **List of H phrases referred to in sections 2 and 3 :**

H271 : May cause fire or explosion; strong oxidiser.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

H412 : Harmful to aquatic life with long lasting effects.

## DEPTIL POH

Code: 0 304 0

### *Material Safety Data Sheet compliant with Regulation (EC) 2015/830*

**Version** 6.0.0

**Revision:** 03/02/17

**Print Date :** 04/04/19

---

#### **Sources of key data used to compile the data sheet :**

MSDS supplier

International limit values for chemical agents

Regulation No 293 of the Government of the Republic of Estonia

#### **Historical :**

Version 6.0.0

Cancels and replaces previous version 5.1.1